

Technical data sheet

Product:	Saphira® Proofing Paper Semi-Matt 210/2	
Description:	Saphira Proofing Paper Semi-Matt 210/2 is designed to offer high performance on both thermal and piezo printers. This media gives excellent image quality and colour rendition.	
Features	Excellent reproducibility through outstanding media colour consistency, large gamut, fast drying properties and very stable flatness.	
Application:	For color management before plate production and also serve as contract proofs based on ISO 12647-7.	
Technical data:	Important:	Printer and driver settings may need careful setup to ensure optimum performance. Ink loads need to be set appropriately for the ink/printer combination in use.
	Availability:	Finished rolls: Available in roll sizes from 17" (43.2cm) to 44" (111.8cm), length 30.0m
	Physical Properties (Target Values)	Weight: 202gsm +/- 7 Thickness: 208µm +/- 5 Opacity: >92% Gloss: 19% +/-5 (BYK 60°) Tint:(Elrepho UVO) L= 94,7 (+/- 0.8) a= -0,2 (+/- 0.5) b= -2.6 (+/- 0.8) delta b 0.7 (+/- 0.8)
	Environmental Conditions:	Operating: 15°C–25°C (59°F–77°F) 30–70% RH
	Certification:	Fogra certification in preparation
Compatible printers	Can be used on all commercial thermal and piezo water-based printing systems like Epson, Canon, Hewlett-Packard, Encad etc.	

This technical data sheet is to inform and advice our customers. The successful application depends on variety of different factors which are beyond our control. We therefore ask for your understanding that these advice documents cannot be used as the basis for claims in law.

Trademarks

Heidelberg, the Heidelberg logotype and Saphira are registered trademarks of Heidelberger Druckmaschinen AG in the U.S. and other countries. All other trademarks are the property of their respective owners.

Subject to technical modifications and other changes.